AUSTRALIAN JOURNAL OF AGRICULTURAL RESEARCH

VOLUME 15

MELBOURNE
1964

AUSTRALIAN JOURNAL OF AGRICULTURAL RESEARCH

A medium for the publication of results of original investigations in the broad field of scientific research on plants, soils, and domestic animals, covering physical, chemical, and biological aspects of this field.
Published by the Commonwealth Scientific and Industrial Research Organization. Issued six times a year, £2 per annum.

BOARD OF STANDARDS

The Board of Standards for this Journal is appointed by the Commonwealth Scientific and Industrial Research Organization and the Australian Academy of Science and consists of Professor W. P. Rogers (Chairman), Mr. A. E. Scott (Editor-in-Chief), Professor N. S. Bayliss, Dr. M. F. Day, Professor R. Street, and Professor J. S. Turner.

ADVISORY COMMITTEE

Acceptance of papers for this Journal is in the hands of an Advisory Committee appointed by the Board of Standards in consultation with the Australian Institute of Agricultural Science and the Australian Veterinary Association and consisting of Mr. A. E. Scott (Editor-in-Chief and Chairman), Professor E. J. Britten, Professor C. M. Donald, Professor H. C. Forster, Dr. T. S. Gregory, Professor G. W. Leeper, Professor J. S. Turner, and Professor E. J. Underwood.

All enquiries and manuscripts should be forwarded to:
The Editor-in-Chief,
Editorial and Publications Section, CSIRO,
Sixth Floor,
372 Albert Street,
East Melbourne, C.2, Victoria

CONTENTS

Number 1, January 1964

PAGE

The phosphorus content and yield of grain of different wheat varieties in relation to phosphorus deficiency. By J. Lipsett 1

Tiller dynamics, growth, and persistency of *Lolium perenne* L. and of *Lolium rigidum* Gaud. By J. H. Silsbury 9

Flower initiation in pasture legumes. IV. Flower initiation in *Trifolium pratense* L. By Yvonne Aitken 21

Genetic control of strain-specific ineffective nodulation in *Trifolium subterraneum* L. By A. H. Gibson 37

Frequencies of annual species of *Medicago* on brown acid soils of the Macquarie region of New South Wales. By F. W. Hely and J. Brockwell 50

The effect of phosphate supply on the growth and botanical composition of annual type pasture. By R. C. Rossiter 61

The effects of temperature, variety, and age on the response of *Saccharum* spp. to applied gibberellic acid. By T. A. Bull 77

Effect of local advection on evaporation rate and plant water status. By B. D. Millar 85

Soil fertility changes in the long-term experimental plots at Kybybolite, South Australia. IV. Changes in certain moisture characteristics. By J. S. Russell and R. C. Shearer 91

Energetic efficiency of fattening sheep. I. Utilization of low-fibre and high-fibre food mixtures. By N. McC. Graham 100

Energetic efficiency of fattening sheep. II. Effects of undernutrition. By N. McC. Graham 113

Energy exchanges of pregnant and lactating ewes. By N. McC. Graham .. 127

Assessment of oestrogenic activity of pastures by means of increase of teat length in sheep. By A. W. H. Braden, W. H. Southcott, and G. R. Moule 142

Reaction of sheep to the consumption of *Leucaena glauca* Benth. and to its toxic principle mimosine. By M. P. Hegarty, P. G. Schinckel, and R. D. Court 153

The determination of mimosine and 3,4-dihydroxypyridine in biological material. By M. P. Hegarty, R. D. Court, and Peggy M. Thorne .. 168

Body composition *in vivo*. IV. Comparisons of the antipyrine and N-acetyl-4-aminoantipyrine spaces in goats. By B. A. Panaretto and J. T. Reid .. 180

Body composition *in vivo*. V. The use of antipyrine and N-acetyl-4-aminoantipyrine for the estimation of gut water in living ruminants. By B. A. Panaretto and J. T. Reid 195

Nutritional evaluation of meat meals for poultry. I. Variation in quality and its association with chemical composition and ash and lipid factors. By B. S. Sathe, R. B. Cumming, and G. L. McClymont 200

Number 2, March 1964

PAGE

The interrelation of dormancy, size, and hardness in seed of *Trifolium subterraneum* L. By A. E. Grant Lipp and L. A. T. Ballard 215

The oestrogenic isoflavones of subterranean clover. By A. B. Beck 223

Estimation of leaf area for clover and lucerne. By R. F. Williams, L. T. Evans, and L. J. Ludwig 231

The residual value of superphosphate on a red-brown earth in South Australia. By C. S. Piper and M. P. C. de Vries 234

Survival of root-nodule bacteria in dry soils exposed to high temperatures. By K. C. Marshall 273

The effects of length of oestrus and number of inseminations on the fertility and twinning rate of the Merino ewe. By A. A. Dunlop and G. M. Tallis .. 282

The renal response of sheep to feeding. By B. D. Stacy and A. H. Brook .. 289

The application of calorimetry to the study of ruminal fermentation *in vitro*. By D. J. Walker and W. W. Forrest 299

Comparative breed studies of beef cattle. II. Changes in size and shape. By N. M. Tulloh and J. S. Maritz 316

Comparative breed studies of beef cattle. III. Carcass composition. By N. M. Tulloh 333

Variation in hair characters over the body in Sahiwal Zebu and Jersey cattle. By Y. S. Pan 346

NUMBER 3, MAY 1964

PAGE

Some effects of soil waterlogging on the cobalt and copper status of pasture plants grown in pots. By S. N. Adams and J. L. Honeysett 357

The cobalt status of Tasmanian soils. I. Total cobalt in soils, and cobalt content of subterranean clover grown in pots. By K. D. Nicolls and J. L. Honeysett 368

Observations on the residual value of accumulated phosphorus in a red loam. By J. D. Hughes and P. G. E. Searle 377

The digestion of food by the grazing sheep. I. The rate of flow of digesta. By J. P. Hogan 384

The digestion of food by the grazing sheep. II. The production of ammonia in the rumen. By J. P. Hogan 397

The effect of trichostrongylosis on pasture intake of sheep. By J. M. Holder 408

Proteolytic enzymes produced in liquid media by *Fusiformis nodosus*. By J. H. Thomas 417

Thermal insulation of short lengths of Merino fleece. By J. W. Bennett and J. C. D. Hutchinson 427

The relationship between live measurements and edible meat in Merino wethers. By G. M. Tallis, Helen Newton Turner, and G. H. Brown 446

The inheritance of black pigmentation in a family of inbred Peppin Merinos. By R. H. Hayman and D. W. Cooper 453

Hormonal synchronization of ovulation in beef heifers and fertility after artificial insemination. By D. R. Lamond 461

The application of body weight data to performance testing of beef cattle. By R. M. Seebeck and E. J. Campion 471

A study of the development of dieldrin-resistance in relation to acaricide pressure in a population of *Boophilus microplus*. By W. J. Roulston .. 490

Corrigenda 510

Number 4, July 1964

PAGE

The buffering capacity of pasture plants with special reference to ensilage. By W. L. Greenhill 511

Wether bioassay of annual pasture legumes. I. Oestrogenic activity in *Medicago tribuloides* Desr. var. Cyprus relative to four strains of *Trifolium subterraneum* L. By A. J. Millington, C. M. Francis, and N. R. McKeown .. 520

Wether bioassay of annual pasture legumes. II. The oestrogenic activity of nine strains of *Trifolium subterraneum* L. By A. J. Millington, C. M. Francis, and N. R. McKeown 527

Yield depression due to phosphate fertilizer in sugar-cane. By R. A. Yates .. 537

Some anatomical and chemical effects of "flat-limb" virus on apple var. Gravenstein. By G. Scurfield and C. Reinganum 548

Two unrelated viruses which cause woodiness of passion fruit (*Passiflora edulis* Sims). By R. H. Taylor and K. A. Kimble 560

Properties and serological relationships of Australian and Californian soil-borne viruses of the grapevine and arabis mosaic virus. By R. H. Taylor and W. B. Hewitt 571

Status of introduced parasites of Queensland fruit fly (*Strumeta tryoni*), 1960–1962. By G. J. Snowball and R. G. Lukins 586

The cobalt status of Tasmanian soils. II. The recovery of applied cobalt in pot experiments. By K. D. Nicolls and J. L. Honeysett 609

Some effects of anaesthesia, lateral recumbency, and diversion of saliva on the rumen function of sheep. By Lynnette J. Peel and A. D. Wilson 625

Rumination in sheep. I. The influence of rumination and grinding upon the passage and digestion of food. By G. R. Pearce and R. J. Moir 635

The effect of nutritional regimen on the potential semen production of rams. By S. Salamon 645

Stimulation of wool growth by thyroxine implantation. I. Liveweight changes and wool growth of fine-wool Merino wethers. By L. J. Lambourne .. 657

Stimulation of wool growth by thyroxine implantation. II. Feed intake of grazing Merino wethers treated repeatedly with thyroxine. By L. J. Lambourne 676

Nutritional evaluation of meat meals for poultry. II. Effect of increasing protein concentration, removal of bone, and folic acid, pyridoxine, and pantothenic acid supplementation of diets based on high and low quality meals. By B. S. Sathe, R. B. Cumming, and G. L. McClymont 698

Estimates of genetic parameters relevant in selection for certain aspects of egg quality. By J. A. Morris 719

Corrigenda 728

Number 5, September 1964

PAGE

The effects of soil moisture stress on the growth of barley. I. Vegetative development and grain yield. By D. Aspinall, P. B. Nicholls, and L. H. May .. 729

Diffusion pressure deficit and turgidity relationships of detached leaves of *Trifolium repens* L. By W. Shepherd 746

Transmission and protective inoculation studies with viruses of the citrus tristeza complex. By L. L. Stubbs 752

Body composition *in vivo*. VI. The composition of ewes during prolonged undernutrition. By B. A. Panaretto 771

Effect of adverse nutrition on the skin and wool follicles in Merino sheep. By A. G. Lyne 788

The life cycle of *Babesia bigemina* (Smith & Kilborne, 1893) in the tick vector *Boophilus microplus* (Canestrini). By R. F. Riek 802

Pasture spelling as a control measure for cattle ticks in southern Queensland. By P. R. Wilkinson 822

A comparison of cattle tick control by "conventional" acaricidal treatment, planned dipping, and pasture spelling. By K. L. S. Harley and P. R. Wilkinson 841

Domestic dogs as hosts of the cattle tick, *Boophilus microplus*. By H. M. D. Hoyte 854

The muscle, fat, and bone content of Angus steer carcasses as affected by stocking rates. By K. W. Clark, M. L. Dudzinski, R. M. Butterfield, and D. Bennett 858

NUMBER 6, NOVEMBER 1964

PAGE

Studies on frost injury to wheat. II. Ice formation within the plant. By W. V. Single 869

Isotopic studies on the uptake of nitrogen by pasture grasses. II. Uptake of fertilizer nitrogen by Rhodes grass in pots. By E. F. Henzell, A. E. Martin, P. J. Ross, and K. P. Haydock 876

The influence of subterranean clover pastures on soil fertility. II. The effects of certain management systems. By E. R. Watson and P. Lapins .. 885

Dormancy and hard-seededness in Western Australian serradella (*Ornithopus compressus* L.). By R. A. Barrett-Lennard and J. S. Gladstones .. 895

Apple fruit cell numbers in relation to cropping alternation and certain treatments. By D. Martin, T. L. Lewis, and J. Cerny 905

The relation between weather and fruitfulness of the sultana vine. By J. G. Baldwin 920

Preliminary trials of the application of antitranspirants under field conditions to vines and bananas. By J. Gale, A. Poljakoff-Mayber, I. Nir, and I. Kahane 929

Effects of stress on ovarian morphology and oestrous cycles in ewes. By A. W. H. Braden and G. R. Moule 937

The effect of frequent ejaculation in the ram on some semen characteristics. By S. Salamon 950

The rumen as a water store in sheep. By J. F. Hecker, O. E. Budtz-Olsen, and Mary Ostwald 961

Energy costs of feeding activities and energy expenditure of grazing sheep. By N. McC. Graham 969

Utilization by fattening sheep of the energy and nitrogen in fresh herbage and in hay made from it. By N. McC. Graham 974

Influence of ambient temperature on the heat production of pregnant ewes. By N. McC. Graham 982

The summer nutrition of weaner sheep: herbage intake following periods of differential nutrition. By W. G. Allden and R. Scott Young 989

The pathogenesis of footrot in sheep with reference to proteases of *Fusiformis nodosus*. By J. H. Thomas 1001

Corrigendum 1016

Index to Volume 15 1017